



**MANUFACTURER OF SUPERIOR PLASTIC EXTRUSIONS FOR  
CONSTRUCTION & INDUSTRIAL APPLICATIONS... AND SO MUCH MORE**

## **VICTORY BEAR PRODUCTS**

**Victory Bear Products, a division of Fukuvi USA, Inc., is a leading manufacturer of plastic profile extrusions for the precast and tilt-up construction markets.**

**We are committed to supplying customers with innovative products that provide superior function, significantly save time and labor, and lower the overall cost of their construction project.**

**General Manager, Sales & Marketing**

**Jon Dresel**

**jdresel@fukuvi-usa.com**

**937.236.7288 x 1019**

**Customer Service**

**Suzette Smith**

**suzette.smith@fukuvi-usa.com**

**937.236.7288 x 1010**



**Expect more with Victory Bear!**

**Interested in  
becoming a Victory  
Bear distributor?  
Contact us today!**

**Victory Bear Products  
7631 Progress Court  
Huber Heights, OH 45424  
937.236.7288**

**[www.victorybear.com](http://www.victorybear.com)**



# VICTORY BEAR ONE-PIECE RUSTICATION

## PROVEN PERFORMANCE. ADDED EFFICIENCY.


Victory Bear's new One-Piece Rustication for tilt-up and precast construction offers the same quality and performance that customers have come to expect from Victory Bear's original rustication strips, with the added labor-saving benefit of one-piece installation.

## FEATURES & BENEFITS

- **New One-Piece Design** - Reduce installation time by skipping the base clip. Simply glue or use the optional adhesive tape to fasten to the casting surface.
- **Excellent Release from Concrete** - Victory Bear's PVC does not stick to concrete, unlike wood. Victory Bear's flexible PVC edge seals help conform to surface irregularities, preventing concrete from seeping under the form.
- **Superior Finish** - Wood rustication strips contain sugars that can discolor and blemish concrete surfaces. PVC releases cleanly to reveal a smooth, near-perfect finish.
- **Tough & Lightweight** - Significantly lighter in weight than wood, making for easier handling. Easily cut with a miter or chop saw at the job site.
- **Save Time and Labor Costs** - The superior finish provided by Victory Bear rustication strips eliminates the need for costly patching and grinding after the panels are lifted.



## TRUSTED VICTORY BEAR DESIGN





**VICTORY BEAR**  
Construction Products

www.victorybear.com  
937.236.7288



# RUSTICATION

Our rustications and chamfers produce the cleanest and sharpest finishes in the industry.

Victory Bear is a leader in innovative concrete accessories creating unique products for the tilt-up and precast industries. Our products give designers the flexibility to allow for a variety of design configurations in a variety of building types.


## FEATURES & BENEFITS

### Flexible Edge Seal

Our patented Flex Edge technology fits tightly against the casting surface, preventing concrete seepage while creating sharp, crisp lines

### Hidden Fastening System

With Victory Bear there are no finish blemishes from screw heads or excess glue. All screws and glue remnants are hidden under the surface for a sharp, glass-like finish.





**VICTORY BEAR**  
Construction Products

www.victorybear.com  
937.236.7288



## RUSTICATION INSTALLATION

- **Step 1** - Fasten the Base Clip to the casting surface with fasteners, tape or adhesive.
- **Step 2** - Press one end of the rustication's interlocking tooth grip into the end of the Base Clip.
- **Step 3** - Press the entire length of the rustication into the Base Clip.
- **Step 4** - Check to ensure that the interlocking grips are fully engaged and the chamfer seal is pressed firmly against the casting surface.

# RUSTICATION

## Standard Profile

		Base Clip required - #876 or #976								
Part #	Part Name	Width A	Height B	Width C	Chamfer Angle	Ft/Pc	Pc/Box	Weight (Lb/LF)	LF Per Box	
715	2.0 Rustication	2"	0.75"	1"	56°	8	18	0.18	192	
743	2.25 Rustication	2.25"	0.75"	0.75"	45°	8	18	0.19	144	
712	2.5 Rustication	2.5"	0.75"	0.9375"	45°	8	12	0.19	96	
713	3.5 Rustication	3.5"	0.75"	2"	45°	8	20	0.27	160	
714	5.5 Rustication	5.5"	0.75"	4"	45°	8	14	0.4	112	
747	8.0 Rustication	8"	0.75"	6.5"	45°	8	8	0.67	64	

## Low Profile

Part #	Part Name	Width "A"	Height "B"	Width "C"	Chamfer Angle	Pc/Box	LF Per Box
729	2.0 Rustication	2"	0.5"	1.375"	60°	22	176
730	3.0 Rustication	3"	0.5"	2.375"	60°	12	96
877	2.0 Rustication	2"	0.5"	1"	45°	24	288

## Snap Rustication

Part #	Part Name	Width "A"	Height "B"	Width "C"	Chamfer Angle	Pc/Box	LF Per Box
101	1.5 Snap Rustication	1.5"	0.5"	1"	60°	28	224
756	1.25 Snap Rustication	1.25"	0.5"	0.75"	60°	32	256
742	1.5 x .75 Tri Snap Rustication	1.5"	0.75"	N/A	45°	24	192

## Architectural Reveal Series


Part #	Part Name	Width "A"	Height "B"	Width "C"	Chamfer Angle	Pc/Box	LF Per Box
902	One Piece Reveal	1.0"	0.75"	0.75"	80°	24	288
878	One Piece Reveal	0.75"	0.75"	0.5"	81°	32	384
879	One Piece Reveal	1.0"	1.0"	0.75"	83°	18	216

Part #	Part Name	Ft/Pc	Pc/Box
876	Base Clip	8	60
976	Base Clip Rounded for Magnet	8	60
875	Magnet for Base Clip	N/A	N/A
914	Magnet for Form Board	N/A	N/A



\* Base Clips are designed to be used with Standard and Low Profile Rustication

Standard & Low Profile



Snap Rustication



Architectural Reveal Series





**VICTORY BEAR**  
Construction Products


www.victorybear.com  
937.236.7288

# BASE CLIPS TAPE, MAGNETIC & FASTENER SYSTEMS

Victory Bear's **Standard Series Rustication and Base Clip system** is a perfect choice. Base Clips can be installed with magnets, fasteners, or adhesive which allows fasteners to be hidden during the cast.

The Rustication and Base Clip system with magnets combines the superior Victory Bear finish with powerful magnets to securely fasten the forms to your metal precast bed.

Victory Bear is a leader in innovative concrete accessories creating unique products for the tilt-up and precast industries. Our products give designers the flexibility to allow for a variety of design configurations in a variety of building types.



## FEATURES & BENEFITS

### Save Time & Money

Our specially-designed magnets are reusable, and install quickly and easily with the special Base Clip for magnets #976.

Victory Bear Rustications and Chamfers use a patented Flex Edge Seal, virtually eliminating the need to caulk while creating sharp, crisp lines. Without caulk, cleanup is easier than ever.

### The Victory Bear Base Clip and Rustication System

This system can be used with any size Standard Series and Low Profile Victory Bear Rustication.





### Easy Installation

-Simply place the Base Clip on the casting surface and secure with magnets, fasteners, or adhesive.

# MAGNETIC BASE CLIP INSTALLATION

- **Step 1-** Place the special Base Clip on the casting bed according to the planned reveal layout.
- **Step 2-** Secure the Base Clip to the casting bed by placing the magnets in each of the Base Clip's rectangular openings. The magnetic surface should make direct contact with the casting bed.
- **Step 3-** Press one end of the rustications interlocking-tooth grip into the end of the Base Clip.
- **Step 4-** Press the entire length of the rustication into the Base Clip.
- **Step 5-** Check to ensure that the interlocking grips are fully engaged and the Flex Edge Seal is pressed firmly against the casting bed.

It is not necessary to caulk along the edges of the rustication.



Part #	Part Name	Ft/Pc	Pc/Box
876	Base Clip	8	60
976	Base Clip Rounded for Magnet	8	60
875	Magnet for Base Clip	N/A	N/A
914	Magnet for Form Board	N/A	N/A



**VICTORY BEAR**  
Construction Products

www.victorybear.com

937.236.7288

# SINGLE CHAMFER

Our rustications and chamfers produce the cleanest and sharpest finishes in the industry. Victory Bear chamfers are manufactured from non-stick PVC - ideal in precast and tilt-up construction for reducing costly time and labor.

Victory Bear is a leader in innovative concrete accessories creating unique products for the tilt-up and precast industries. Our products give designers the flexibility to allow for a variety of design configurations in a variety of building types.

Wood Chamfer

vs.


PVC Chamfer



Wood Chamfer

vs.

PVC Chamfer



## FEATURES & BENEFITS

### Flexible Edge Technology

Our patented Flex Edge Technology fits tightly against the casting surface, preventing concrete seepage while creating sharp, crisp lines.



## SINGLE CHAMFER INSTALLATION

- The LC Single Chamfer can be installed with adhesive tape.



**VICTORY BEAR**  
Construction Products

www.victorybear.com  
937.236.7288



**VICTORY BEAR**  
Construction Products


www.victorybear.com  
937.236.8288



## **BULLNOSE 3/4" Bullnose & Rustications**

Our rustications and chamfers produce the cleanest and sharpest finishes in the industry.

Victory Bear is a leader in innovative concrete accessories creating unique products for the tilt-up and precast industries. Our products give designers the flexibility to allow for a variety of design configurations in a variety of building types.



**Flexible Edge Seal**



Our patented Flex Edge Seal fits tightly against the casting surface, preventing concrete seepage while creating sharp, crisp lines.

**Enhanced Appearance**



Bullnose provides an enhanced look and feel to your finished project.



**VICTORY BEAR**  
Construction Products

www.victorybear.com  
937.236.7288

# DOUBLE CHAMFER

Our rustications and chamfers produce the cleanest and sharpest finishes in the industry. Victory Bear chamfers are manufactured from non-stick PVC - ideal in precast and tilt-up construction for supporting wood forms.

Victory Bear is a leader in innovative concrete accessories creating unique products for the tilt-up and precast industries. Our products give designers the flexibility to allow for a variety of design configurations in a variety of building types.

**Flex Edge Seal**




Our patented Flex Edge Seal technology fits tightly against the casting surface, preventing concrete seepage while creating sharp, crisp lines.

**Dual Materials**




Victory Bear's 2 x 3/4" Double Chamfer is designed with rigid and flexible PVC for even better performance and value than before.

**Topside Double Chamfer**



Crisp, clean edges on Victory Bear's Topside Double Chamfer.



# DOUBLE CHAMFER




## DOUBLE CHAMFER INSTALLATION

- **Step 1-** Fasten the chamfers in place using fastener, tape or adhesive.
- **Step 2-** Check to ensure that the chamfers edge is pressed firmly against the casting surface.
- **Step 3-** Insert lumber along the length. For wood that is swollen beyond standard dimensions, insert one side first against the flex edge then roll the other side into the channel.

### Double Chamfer



Part #	Part Name	Width A	Height B	Width C	Chamfer Angle	Ft/Pc	Pc/Box
737	Double Chamfer 1.25 x 3/4	0.75"	0.75"	1.25"	45°	8	36
863	Double Chamfer 2 x 3/4	0.75"	0.75"	1.5"	45°	8	25
733	Double Chamfer 2 x 1/2	0.5"	0.5"	1.5"	45°	8	20
755	Double Chamfer 1 x 1/2	0.28	0.5"	0.75"	60°	8	16
806	Double Chamfer TOPSIDE 2 x 3/4	0.75"	0.75"	1.5"	45°	8	25
767	Double Chamfer BULKHEAD 1 x 3/4	0.75"	0.75"	0.75"	45°	8	12





**VICTORY BEAR**  
Construction Products

www.victorybear.com  
937.236.7288



# BULKHEAD

Our rustications and chamfers produce the cleanest and sharpest finishes in the industry.

Victory Bear is a leader in innovative concrete accessories creating unique products for the tilt-up and precast industries. Our products give designers the flexibility to allow for a variety of design configurations in a variety of building types.

## Flexible Edge Seal



Our patented Flexible Edge Seal fits tightly against the casting surface, preventing concrete seepage while creating sharp, crisp lines.

## Hidden Fastening System



With Victory Bear there are no finish blemishes from screw heads or excess glue. All screws and glue remnants are hidden under the surface for a sharp, glass-like finish.

## Reduces Your Forming Cost



Victory Bear Bulkhead has been designed for use with 3/4" inch form board or standard "CDX" plywood allowing you a choice of form boards. Allows for a 40 - 60% lumber/form board savings over traditional 2x .



**VICTORY BEAR**  
Construction Products

www.victorybear.com  
937.236.7288




## BULKHEAD INSTALLATION

- **Step 1-** Fasten the Base Clip to the casting surface with fasteners, tape or adhesive.
- **Step 2-** Press one end of the Bulkhead's interlocking tooth grips into the end of the Base Clip.
- **Step 3-** Press the entire length of the Bulkhead into the Base Clip.
- **Step 4-** Check to ensure that the interlocking grips are fully engaged and the chamfer seal is pressed firmly against the casting surface.
- **Step 5-** Using a 1" board, apply downward pressure in the channel of the Bulkhead, working from one end to the other until it locks into position. This creates a tight friction fit with the wood, preventing it from rising during the pour. No nailing is necessary.
- **Step 6-** Use an H style roofing clip between each section of lumber to hold straight.



**VICTORY BEAR**  
Construction Products

www.victorybear.com  
937.236.7288



# ARCHITECTURAL DRIP EDGE

Victory Bear's Architectural Drip Edge uses a patented Flex Edge Seal and a PVC surface to provide a smooth and straight drip edge for doors, windows, and archways.

The Victory Bear Architectural Drip Edge is designed with rigid and flexible PVC for superior performance and value. The rigid PVC creates a superior finish, while the flexible PVC creates a tight seal against the form board, **greatly reducing the need for caulking in precast applications.**

## Greater Versatility



Architectural Drip Edge is a single piece design that can be installed at any desired position and depth.

## Flex Edge Seal



Our Flex Edge Seal technology fits tightly against the casting surface, preventing concrete seepage and creating sharp, crisp lines.

## Installed Product



## Easy Installation



Simply remove the backing of the built-in adhesive tape and firmly press into place.  
\*Surface must be dust/oil free.



**VICTORY BEAR**  
Construction Products

www.victorybear.com  
937.236.7288

# UNIVERSAL DRIP EDGE

Victory Bear's Universal Drip Edge uses a patented Flex Edge Seal and a PVC surface to provide a smooth and straight drip edge for doors, windows, and archways. It is scored to easily meet your size requirements, giving you maximum control and versatility.

Universal Drip Edge by Victory Bear is designed with rigid and flexible PVC for superior performance and value. The rigid PVC creates a superior finish, while the flexible PVC creates a tight seal against the form board, greatly reducing the need for caulking in precast applications.

## Greater Versatility



Universal Drip Edge is scored at 1" increments, easily allowing you to adjust the depth of the clip from 2 to 5 inches.

## Flex Edge Seal




Our patented Flex Edge Seal fits tightly against the casting surface, preventing concrete seepage and creating sharp, crisp lines.

## Easy Installation




Simply remove the backing of the built-in adhesive tape and firmly press into place.

## DRIP EDGE DETAIL



It is not necessary to caulk the Flex Edge Seals.



## UNIVERSAL DRIP EDGE INSTALLATION

- **Step 1-** Determine the desired depth of the drip edge. If placing at a depth of less than 5" from the outside wall, cut the appropriate score line with a utility knife, then break at the score line.
- **Step 2-** Peel away the adhesive tape's backing.
- **Step 3-** Using the bottom of the Universal Drip Edge piece as a guide against the casting surface, firmly press the adhesive into place onto the form board.
- **Step 4-** Set any Victory Bear chamfer into place by removing the backing from its adhesive tape and adhering it to the casting surface. Make sure there are no gaps between the Flex Edge Seals and the contact surfaces.
- **Step 5-** Caulk only the ends of the Universal Drip Edge, as well as any joints. It is not necessary to caulk along the Flex Edge Seals.



**VICTORY BEAR**  
Construction Products



www.victorybear.com  
937.236.7288



# SLAB SAVER

Victory Bear Slab Savers provide an effective and easy way of protecting your floors from damage when walls are lifted. Installation is quick and simple, and the result is a smooth, clean floor that saves you time and labor after the tilt.

Victory Bear is a leader in innovative concrete accessories creating unique products for the tilt-up and precast industries. Our products give designers the flexibility to allow for a variety of design configurations in a variety of building types.




## FEATURES & BENEFITS

### Eliminates Floor Repairs

When you use Victory Bear Slab Saver you virtually eliminate the need for floor repairs. Crews do not need to spend time repairing floors after the wall is lifted because the Slab Saver has protected the floors from installation-related damage.

# SLAB SAVER INSTALLATION

- **Step 1-** Select 24" lengths of Slab Saver.
- **Step 2-** Set the Slab Saver into the form 18" from each end and one in the middle. If the panel is wider than 20' add one additional Slab Saver for each additional 5 feet.
- **Step 3-** Use nail to secure to form. See image to right.
- **Step 4-** Pour concrete as usual. Normal vibration of the concrete ensures it will correctly surround the Slab Saver.
- **Step 5-** Slab Saver stays with the wall - there's no need to remove it.



Slab Saver Cross Section




www.victorybear.com  
937.236.7288



# WALL JOINT COVER

Victory Bear Wall Joint Covers are attractive, durable PVC inserts, ideal for covering 1/4" to 1" gaps between interior panel joints in precast or tilt-up concrete walls. This eliminates the need for expensive joint-caulking material and labor.

Victory Bear is a leader in innovative concrete accessories creating unique products for the tilt-up and precast industries. Our products give designers the flexibility to allow for a variety of design configurations in a variety of building types.



## FEATURES & BENEFITS

### Save Time & Money

Simply insert the Wall Joint Cover into the wall joint for a secure fit. There is no longer a need for expensive caulk between joints.

### Eliminates Gaps



Wall Joint cover fits tightly into the grooves to cover the panel joints.

### Looks Great

Victory Bear's Joint Covers are manufactured with a smooth, attractive surface which is ready to install right out of the box, in standard gray or special white.

### Can Be Painted

If a custom color is required, the Victory Bear Wall Joint Cover can be primed and painted.



## WALL JOINT COVER INSTALLATION

- **Step 1-** Align the center "V" nose with the center of the joint and apply pressure starting from one end and working toward the other end.
- **Step 2-** Once Wall Joint Cover has been started, the face can be hammered into position using a hammer onto a protective surface, such as wood block, to prevent marring of the surface.
- **Step 3-** After installation, the Wall Joint Cover may be primed and painted to match existing surfaces, or left alone.



**VICTORY BEAR**  
Construction Products

www.victorybear.com  
937.236.7288

# SAW CUT COVER

## FEATURES & BENEFITS

### Save Money

Victory Bear's Saw Cut Cover costs less than many other brands.


### The Best of Both Worlds

Victory Bear's combination of rigid and flexible PVC aids in function and ease of use. Its rigid structure makes it easy to install compared to all flexible brands. The flexible fins on the Saw Cut Cover ensure a secure fit in imperfect saw cuts, and a tighter seal against the slab than with all-rigid brands.


### Save Time

The Victory Bear Saw Cut Covers ease of use makes it a perfect labor-saving choice. Plus, its unique low-profile design leaves a much lighter impression in your tilt wall than other brands, resulting in less patching and grinding after the tilt.

Unique Low-Profile Design



Victory Bear's co-extruded design-- a rigid skeleton with soft PVC fins-- makes for a much more user-friendly, highly functional part.



# INSULATED PANEL CAP (IPC)




**VICTORY BEAR**  
Construction Products

www.victorybear.com  
937.236.7288

Let Victory Bear help you protect your insulated panels. Victory Bear's Insulated Panel Cap is designed to help protect the insulation and cavity in sandwich panels from the possibility of moisture penetration.

Victory Bear is a leader in innovative concrete accessories creating unique products for the tilt-up and precast industries. Our products give designers the flexibility to allow for a variety of design configurations in a variety of building types.



Recommended IPC for insulation sizes	
Insulation	IPC
.5"	2.5"
1"	2.5"
2"	4"
3"	4"

Part #	Part Name	Ft/Pc	Pc/Box	Lf/Box
26501	<a href="#">4" Insulated Panel Cap (IPC) 10'</a>	10	20	200
26502	<a href="#">4" Insulated Panel Cap (IPC) 14'</a>	14	20	280
26504	<a href="#">2.5" Insulated Panel Cap (IPC) 14'</a>	14	25	350
26509	<a href="#">1.5" Insulated Panel Cap (IPC) 14'</a>	14	25	350

## FEATURES & BENEFITS

### Save Time & Money


Victory Bear IPC eliminates the need for expensive sealing tape around panel edges and window and door openings.

### Easy Installation

IPC simply attaches to the side rail with the adhesive tape, prior to the pour.

### Excellent Protection

IPC is made of durable, rigid PVC, providing maximum protection against moisture penetration.



Unprotected Panel  
When left unprotected, insulation and cavity are vulnerable to moisture penetration



Victory Bear Protection  
Victory Bear's insulated Panel Cap provides valuable protection with minimal effort




# FLEX-TITE INSULATION CLIPS

Victory Bear Flex-Tite insulation clips are quick, easy, and efficient to work with. They provide a finishing touch that is attractive as well as functional. They are designed to save labor in installation, and save energy once finished. **Use the male / female Flex-Tite clips in conjunction with our J-Channel system.**



## FLEX-TITE CLIP & J-CHANNEL SIZE COMBO

Board Thickness	Female Clip p/n	Male Clip p/n	J-Channel p/n
1.0"	FTF1	FTM03	1540
1.25"	FTF1	FTM03	751
1.5"	FTF1	FTM06	769
1.75"	FTF1	FTM09	1158
2.0"	FTF2	FTM05	1541
2.25"	FTF2	FTM09	1541
2.3"	FTF2	FTM09	1153**
2.5"	FTF2	FTM10	1153
2.75"	FTF2	FTM13	1547**
3.0"	FTF3	FTM05	1547
3.2"	FTF3	FTM06	1560
3.5"	FTF3	FTM10	N/A
4.0"	FTF3	FTM14*	N/A
		*Special	**Custom



## FEATURES & BENEFITS

### FLEX-TITE CLIPS INSTALLATION

- **Step 1-** Align the Victory Bear J-Channel horizontally at the desired height and check for level. Nail or staple into place.
- **Step 2-** Align the Flex-Tite female clip vertically at desired spacing and check for plumb. Nail 3/4 to 1" into place.
- **Step 3-** Install insulation and Flex-Tite male, then repeat.



#### Energy Efficient Design

Our patented Flex-Tite technology seals tightly against the insulation board to reduce thermal loss at the seams.

#### Reduces Cost

Our system is designed to withstand the high impact of nail guns and power saws, saving you labor costs.

#### Convenient Fastening

All Flex-Tite and Quick Clip systems have a convenient fastening leg for easy access with a nail gun, reducing installation time.

# J-CHANNEL

J-Channel is used with clips:


- Flex-Tite two part clip system (male / female)
- Quick Clip





**VICTORY BEAR**  
Construction Products

www.victorybear.com  
937.236.7288

J-CHANNEL



QUICK CLIP




## FLEX-TITE CLIP & J-CHANNEL SIZE COMBO

Board Thickness	Female Clip p/n	Male Clip p/n	J-Channel p/n
1.0"	FTF1	FTM03	1540
1.25"	FTF1	FTM03	751
1.5"	FTF1	FTM06	769
1.75"	FTF1	FTM09	1158
2.0"	FTF2	FTM05	1541
2.25"	FTF2	FTM09	1541
2.3"	FTF2	FTM09	1153**
2.5"	FTF2	FTM10	1153
2.75"	FTF2	FTM13	1547**
3.0"	FTF3	FTM05	1547
3.2"	FTF3	FTM06	1560
3.5"	FTF3	FTM10	N/A
4.0"	FTF3	FTM14*	N/A
		<b>*Special</b>	<b>**Custom</b>

FLEX-TITE  
MALE/FEMALE  
CLIPS

FTM 1-14



FTF 1-3



## FEATURES & BENEFITS

### Energy-Efficient Design

Victory Bear Quick Clips have a unique co-extruded design, combining rigid and soft PVC to hold insulation tightly in place and create an air-tight seal.

### Durable

PVC is durable and will maintain its attractive finish for years.

### Impact-Resistant

Quick Clips withstand the impact of a nail gun without splitting.

### Easy to Work With



Victory Bear Quick Clips can be cut with standard power saws.

### Attractive Finish

Victory Bear Quick Clips are manufactured to an attractive white finish and do not require painting. Call for custom color applications.

### UL Tested

Class A material, tested by Underwriters Laboratories (UL 723-test for surface burning characteristics of building materials). Flame spread is 0 and smoke developed equals 190.



Part #	Part Name	Ft/Pc	Pc/Box
1552	Quick Clip Flex 1.0"	10	20
861	Quick Clip Flex 1.25"	10	20
1551	Quick Clip Flex 1.5"	10	20
1553	Quick Clip Flex 1.75" - 2.0"	10	20
1555	Quick Clip Flex 2.5"	10	20
1554	Quick Clip Flex 3.0"	10	20
1559	Quick Clip Flex 3.2"	10	20

# QUICK CLIP

The Victory Bear Quick Clip insulation retaining system is ideal for holding insulation securely on tilt-up walls. Its quick and easy installation method helps reduce your overall costs. Its attractive finish also provides a superior look for your insulated walls.

Victory Bear is a leader in innovative concrete accessories creating unique products for the tilt-up and precast industries. Our products give designers the flexibility to allow for a variety of design configurations in a variety of building types.

## QUICK CLIP INSTALLATION

**Step 1-** Align the Quick Clips at widths appropriate for the insulation size.

**Step 2-** Nail or staple the Quick Clips into place.

**Step 3-** Install the insulation.



**VICTORY BEAR**  
Construction Products  
www.victorybear.com  
937.236.7288